



WINTER- 18 EXAMINATION

Subject Name: Engineering Drawing


Model Answer

Subject Code:

17205

**Important Instructions to examiners:**


- 1) The answers should be examined by key words and not as word-to-word as given in the model answer scheme.
- 2) The model answer and the answer written by candidate may vary but the examiner may try to assess the understanding level of the candidate.
- 3) The language errors such as grammatical, spelling errors should not be given more Importance (Not applicable for subject English and Communication Skills).
- 4) While assessing figures, examiner may give credit for principal components indicated in the figure. The figures drawn by candidate and model answer may vary. The examiner may give credit for any equivalent figure drawn.
- 5) Credits may be given step wise for numerical problems. In some cases, the assumed constant values may vary and there may be some difference in the candidate's answers and model answer.
- 6) In case of some questions credit may be given by judgement on part of examiner of relevant answer based on candidate's understanding.
- 7) For programming language papers, credit may be given to any other program based on equivalent concept.

Q. No.	Sub Q. N.	Answer	Marking Scheme
1	(a)	<div><div><p>Sect. F.V 06 Marks, T.V. 04 Marks</p></div><div><p>(b) F.V 02 Marks, L.H.V.S 03 Marks, T.V 05 Marks</p></div></div>	



2

(a)



F.V = 03


T.V = 03

$\Phi = 02$

(b)

(i)


(Initial position 3 mark, Final position 3 marks. Inclination 2 marks)



(b)

(ii)


(Initial position 2 mark, Middle view 2 marks & Final position 2 marks. Inclination 2 marks)



3


(a)

(Initial position 2 mark, Final position 6 marks. Side view not necessary to drawn)




(b)

(Initial position 2 mark, Final position 6 marks. Assume axis parallel to VP which is not given in problem)






c) (Initial position 2 mark, Final position 6 marks.)




4


(a) (FV 3 marks, TV 3 marks, true shape of section 2 marks)



(b) ( FV 3 marks, TV 3 marks, true shape of section 2 marks)



c) ( FV 3 marks, TV 3 marks, true shape of section 2 marks)






5


(a)

(F.V 03 MARKS, T.V. 03 MARKS, DEVELOPMENT 02 MARKS)




(b)


(F.V 02 MARKS, T.V. 01 MARKS, DEVELOPMENT 05 MARKS)




c) (F.V 02 MARKS, T.V. 02 MARKS, DEVELOPMENT 04 MARKS)




6	(a)	Rag foundation bolt	04 Marks
---	-----	---------------------	----------




(b)	Castle Nut 04 marks
-----	---------------------




c) Flange Coupling 04 Marks



(d) Double riveted lap joint 04 Marks



(e) Metric threads 04 Marks



(f) Hexagonal Headed Bolt 04 Marks

